

MARKS PRYOR

MARKING TECHNOLOGY


**Dedicated
Industrial
Coding Engineers**

**Turnkey Integrated
Solutions**

**Expert Technical
Support**

Global Coverage

Vision Solutions



INTELLIGENT MARKING SOLUTIONS

VeriSmart™

Data Matrix Verifier

VeriSmart™ provides the hardware and software needed to verify data matrix codes to International Standards.

VeriSmart™ compliments the range of Data Matrix readers from Absolute Vision. It consists of the advanced lighting and imaging hardware necessary to achieve precise digital images of codes with state of the art analysis software to measure and grade marks to the appropriate international standards.

The VeriSmart™ imaging head is of a uniquely compact and lightweight design that makes it ideal not only for desktop applications but it is also suitable for integration directly into most types of marking machines. In this way the

marking and quality inspection become a single operation greatly reducing cycle times and therefore costs. This is further enhanced by a very simple 'traffic light' status display to make any Operator immediately aware of whether the mark is of an 'Excellent', 'Acceptable' or 'Unacceptable' quality grade.

VeriSmart™ also offers the ability to display real time images of the marks being verified and these images can easily be digitised, stored and used in reports and support documentation.

Key Features:


- Compact imaging head for integration directly into most types of marking machines
- Precision lighting and exclusion of ambient light ensures consistent results
- Measures marks applied directly to a wide range of materials and surface finishes

"A complete package to ensure mark compliance with international Quality standards"


www.markspryor.com

Technical Specification

CODE Formate	Data Matrix, ISO 16022, Square and Rectangular Format, ECC 200, 0 - 140, White on Black and Black on White
Minimum Cell Size	Preset to order
Marking Types	Printed Labels and Directly Applied Marks (DAM) Including: Dot Peen, Ink Jet, Laser, Electrochemical Etching
Surface Types	Metal, Plastic, Paper. From rough to highly polished
Field of View	Preset to order
Sensor	1/3" progressive scan
Light Source	Solid State LED precision source
Camera/Light Unit Size	Length 135.0mm, Depth 125.0mm, Width 65.0mm
Enclosure Type	Aluminium alloy, No external ventilation
Weight	600 grams
Cable Length	1 metre other lengths available
Signal Interface	IEEE - 1394
User Interface	VeriSmart™ GUI, including real time video image
Operating System	Windows 2000 or XP



VeriSmart™ full screen display including measurement Results and grades



Display showing poor mark quality

**MARKS
PRYOR**
MARKING TECHNOLOGY

AN ISO 9001-2008
COMPANY



QAC / R81 / 1520

MARKS PRYOR MARKING TECHNOLOGY PVT. LTD.

CORPORATE OFFICE & WORKS

Regd. Off.: Gat No. 135, Pirangut, Tal. Mulshi, Dist. Pune - 412 108. (M.S.) India.

Tel.: +91-20-66743300 / 66743301 Fax: +91-20-66743327, e-mail : info@markspryor.com

BRANCHES

- New Delhi • Mumbai • Bangalore • Ahmedabad • Chennai
- Coimbtore • Kolkata • Jamshedpur • Indore

www.markspryor.com